



# Vanilla

## Open Source Business Intelligence

### Version 2.0

### How to customize home page

September 2009  
Vanilla Version 2.0  
Patrick Beaucamp / Gaël Charbonnier / Ludovic Camus  
BPM Conseil  
Contact : [patrick.beaucamp@bpm-conseil.com](mailto:patrick.beaucamp@bpm-conseil.com)



## Index

Introduction:.....	3
I. Architecture of the code.....	3
II. index.jsp requirements:.....	3
III. How to modify the page.....	4
IV. How to change default language.....	5



## Introduction:

This document describe the steps to customize vanilla portal's home page.

## I. Architecture of the code

The welcome page of the portal is provide be the JSP « index.jsp». This JSP can be split in three blocks.

Block 1: line 1 to 60. This bloc contain the java code to initialize the server. **Do not modify theses lines**

Block 2: Line 61 to 202. This bloc contain the CSS code.

Block 3: Line 203 to the end. This bloc contain the HTML code.

## II. index.jsp requirements:

The Block 1 is required.

The login's informations must be send by POST or GET method to vanilla.jsp. This informations are login and password of the current user. The fields expect by vanilla.jsp are

- \_\_login
- \_\_pwd



the default code is:

```
<div id="login">
  <form id="_login_" method=post
        action="/vanilla/vanilla.jsp">
    <p>username: <input name="__login" id="__login" type="text"
class="input"></p>
    <p>password: <input name="__pwd" id="__pwd" type="password"
class="input"></p>
    <input type="submit" value="submit">
  </form>
</div>
```



### III. How to modify the page

Ensure that your server is up. Launch Enterprise Services and open the Home perspective.



Modify the code and « Apply ». The index.jsp page will be update.



## IV. How to change default language.

Open the file vanilla.jsp.

Insert the following line, under the title of the page (line 64):

```
<meta name="gwt:property" content="locale=<%=request.getLocale() %>">
```